



EU Buyer / Import Panel

| Parameter | Type | Allowed limit/spec | Result | Method | Status |
|--------------------------------|---------------|--------------------|-------------|----------|--------|
| Lead (Pb) | Mandatory | Reg. 2023/915 | 0.25 mg/kg | ICP-MS | Pass |
| Arsenic (As) | Mandatory | EU limits | 0.02 mg/kg | ICP-MS | Pass |
| Cadmium (Cd) | Mandatory | EU limits | 0.023 mg/kg | ICP-MS | Pass |
| Mercury (Hg) | Mandatory | EU limits | 0.005 mg/kg | ICP-MS | Pass |
| Aflatoxin B1 | Mandatory | < 5 µg/kg | < 1.0 µg/kg | HPLC | Pass |
| Total aflatoxins | Mandatory | < 10 µg/kg | < 4.7 µg/kg | HPLC | Pass |
| EU pesticide MRL (EC 396/2005) | Mandatory | Compliant | Complies | LC-MS/MS | Pass |
| Import documentation (CHED) | Non-mandatory | Ready | Conforms | QA | Pass |

UK Buyer Panel

| Parameter | Type | Allowed limit/spec | Result | Method | Status |
|-----------------------------|-----------|--------------------|----------|-----------|--------|
| UK retained EU contaminants | Mandatory | Documented | Conforms | Reg check | Pass |
| UK FSA heavy metals | Mandatory | Within limits | Complies | ICP-MS | Pass |
| UK mycotoxin spec | Mandatory | Within limits | Complies | HPLC | Pass |
| UK pesticide MRL | Mandatory | GB MRL / buyer | Complies | LC-MS/MS | Pass |
| UK microbiology (retail) | Mandatory | Within spec | Complies | ISO | Pass |

USA Buyer Panel (FDA/FSMA)

| Parameter | Type | Allowed limit/spec | Result | Method | Status |
|-----------------------------|-----------|--------------------|-------------|------------------------|--------|
| FDA FSMA / FSVP readiness | Mandatory | Documented | Conforms | QA review | Pass |
| TAMC | Mandatory | < 100000 cfu/g | < 654 cfu/g | USP <2021> / ISO 4833 | Pass |
| Yeast & mould | Mandatory | < 10000 cfu/g | < 381 cfu/g | USP <2021> / ISO 21527 | Pass |
| E. coli | Mandatory | Absent in 1g | Absent | USP <2022> | Pass |
| Salmonella | Mandatory | Absent in 25g | Absent | ISO 6579 | Pass |
| US EPA tolerance (residues) | Mandatory | Compliant | Complies | LC-MS/MS | Pass |

Non-EU International Buyer Panel

| Parameter | Type | Allowed limit/spec | Result | Method | Status |
|-------------------------------|---------------|---------------------|----------|--------------|--------|
| GCC (UAE / Saudi / Qatar) SPS | Mandatory | Halal / contaminant | Conforms | Panel review | Pass |
| Australia NZ MPI biosecurity | Mandatory | Import conditions | Conforms | Doc + lab | Pass |
| Japan MHLW / Korea MFDS | Mandatory | Residual limits | Complies | LC-MS/MS | Pass |
| Canada CFIA | Mandatory | Food import | Conforms | Panel | Pass |
| ASEAN (SG/MY/TH/VN) | Mandatory | Regional MRL | Complies | LC-MS/MS | Pass |
| Buyer release index | Non-mandatory | Composite score | 92.8 | QA | Pass |

Mandatory Release Parameters

| Parameter | Type | Allowed limit/spec | Result | Method | Status |
|------------------------------------|-----------|--------------------|---------------|------------------|--------|
| Identity & grade confirmation | Mandatory | Release critical | Confirmed | Buyer spec tests | Pass |
| Trade marker result (see Chemical) | Mandatory | Decision-critical | Within spec | HPLC/GC/ASTA | Pass |
| Heavy metals panel | Mandatory | Release critical | Within limits | ICP-MS | Pass |
| Mycotoxin panel | Mandatory | Release critical | Within limits | HPLC | Pass |
| Microbial panel | Mandatory | Release critical | Within limits | USP/ISO | Pass |
| Pesticide panel | Mandatory | Release critical | Within limits | LC-MS/MS | Pass |

Optional & Physical Quality

| Parameter | Type | Allowed limit/spec | Result | Method | Status |
|----------------------------|-----------|--------------------|----------|--------|--------|
| Packaging / seal integrity | Mandatory | Export | Pass | Visual | Pass |
| Shelf-life / Apr-May stock | Optional | Dispatch window | Conforms | QA | Pass |

Scan for report details



Avneesh Mishra

For Botanika Bharat LLP

Avneesh Mishra
Designated Partner

Praveen Dhama

For Botanika Bharat LLP

Praveen Dhama
Designated Partner





Botanika Bharat LLP (ACR-2811)

H.No. 143 2nd Floor, Shakti Vihar Colony Rudrapur, Nainital
Road Udham Singh Nagar, Uttarakhand, India - 263153

Critical Export Decision Summary

| Parameter | Type | Allowed limit/spec | Result | Method | Status |
|-----------------------------------|-----------|--------------------|----------|----------------|--------|
| Export buyer decision status | Mandatory | All panels | Approved | Composite | Pass |
| Domestic + EU + UK + USA + Non-EU | Mandatory | Multi-market | All Pass | QA sign-off | Pass |
| Authenticity / adulteration | Mandatory | Critical | Pass | Targeted tests | Pass |
| Lot traceability Apr-May 2026 | Mandatory | ERP mapped | Verified | ERP | Pass |

General Notes

| Parameter | Type | Allowed limit/spec | Result | Method | Status |
|--------------------|------|-----------------------|----------|--------------|--------|
| Stock period | Info | April-May 2026 | Covered | QA | Info |
| NABL accreditation | Info | ISO/IEC 17025:2017 | Verified | Cert on file | Info |
| Report validity | Info | Sample & lot specific | Noted | QA | Info |

Remark:

COA backed with NABL approved lab. We have prepared this report for a recently shipped lot (April-May 2026 stock). Client information and material/supplier details are not shown in this COA (masked for presentation and confidentiality). Mandatory, non-mandatory and optional parameters reported; Domestic, EU, UK, USA and Non-EU panels: Pass. Scan QR on this report for Botanika Bharat access URL and report reference. Valid for this sample and lot only.



Scan for report details



Avneesh Mishra

For Botanika Bharat LLP
Avneesh Mishra
Designated Partner

Praveen Dhama

For Botanika Bharat LLP
Praveen Dhama
Designated Partner

